L Number	Hita	Search Text	DB	Time stamp
9	15		USPAT;	2003/12/31 08:04
		(((congest\$3 conten\$4 colli\$5)near2	US-PGPUB;	2000, 22, 52 00100
		(avoid\$5))and (delay same acknowledg\$5))	EPO; JPO;	
		,	DERWENT;	İ
			IBM TDB	
10	4	((709/233,234,235.ccls. and @ad<20010716)	USPAT;	2003/12/31 08:12
		and (((congest\$3 conten\$4 colli\$5)near2	US-PGPUB;	
		(avoid\$5)) and (delay same acknowledg\$5)))	EPO; JPO;	
ļ		and hub	DERWENT;	
			IBM_TDB	
11	2875	370/230,242,245,253,338,328,908,910,254.ccls.	USPAT;	2003/12/31 08:13
		and @ad<20010716	US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	<i>,</i> _ <i>,</i>
12	52	1, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/31 08:14
		and @ad<20010716) and((ethernet near10	US-PGPUB;	
		(network\$4))and	EPO; JPO;	
		((broadcast\$3)adj(messag\$3)))	DERWENT;	
		//270/020 040 045 052 220 200 000 010 054	IBM_TDB	2007/12/21 00 25
13	4		·	2003/12/31 08:35
		and @ad<20010716) and((ethernet near10	US-PGPUB;	
		(network\$4))and	EPO; JPO;	
		((broadcast\$3)adj(messag\$3)))) and (((congest\$3 conten\$4 colli\$5)near2	DERWENT;	
19			IBM_TDB	2002/12/21 00:24
19	١	(awbed\$5%e\$mdeadeDayByameadgknowdedg\$51) counter) with (enebl\$ disabl\$)	USPAT; US-PGPUB;	2003/12/31 09:34
		Counter, with (enebis disable)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
20	0	(selectiv\$)near10 (Byte adj used near1	USPAT;	2003/12/31 09:34
		counter)	US-PGPUB;	2003, 12, 32 03.31
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
21	0	(selectiv\$)near10 (Byte adj used near5	USPAT;	2003/12/31 09:34
		counter)	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	1	(detect\$ select\$ enabl\$ disable\$) near10	USPAT;	2003/12/31 09:40
		(Byte adj used near5 counter)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
22		/A-bbA	IBM_TDB	
23	0	(USPAT;	2003/12/31 09:40
		(Byte adj used near2 counter)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
24	ი	Byte adj used adj as adj counter	USPAT;	2003/12/31 09:41
		ayou aay aboa aay ab aay counter	US-PGPUB;	2003/12/31 03:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
25	286	counter adj byte	USPAT;	2003/12/31 09:41
			US-PGPUB;	
[,		EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
26	261	(counter adj byte) and @ad<20010716	USPAT;	2003/12/31 09:42
]			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	ethernet near10 (network44)	USPAT;	2003/12/30 11:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	

		•		
_	20549	ethernet near10 (network\$4)	USPAT; US-PGPUB;	2003/12/30 11:43
			EPO; JPO; DERWENT;	
_	10596	(ethernet near10 (network\$4)) and	<pre>IBM_TDB USPAT;</pre>	2003/12/30 15:43
		@ad<20000716	US-PGPUB;	
			EPO; JPO; DERWENT;	
_	990	((ethernet near10 (network\$4)) and	<pre>IBM_TDB USPAT;</pre>	2003/12/30 15:33
		@ad<20000716) and ((global\$2	US-PGPUB;	2003/12/30 13:33
		broadcast\$3)near3 (messag\$3 function))	EPO; JPO; DERWENT;	
	533	((athermat norm10 (maturate(1)) and	IBM_TDB	2002/12/21 00:14
-	533	@ad<20000716) and	USPAT; US-PGPUB;	2003/12/31 08:14
		((broadcast\$3)adj(messag\$3))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	4946	ethernet adj (network\$4)	USPAT; US-PGPUB;	2003/12/30 15:59
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	58	(((ethernet near10 (network\$4)) and @ad<20000716) and ((global\$2	USPAT; US-PGPUB;	2003/12/30 15:08
		broadcast\$3)near3 (messag\$3 function))) and	EPO; JPO;	
		((MAC adj address)and counter)	DERWENT; IBM TDB	
-	150	(((ethernet near10 (network\$4)) and @ad<20000716) and	USPAT; US-PGPUB;	2003/12/30 12:47
		((broadcast\$3)adj(messag\$3))) and (avoid and	EPO; JPO;	
		(Colli\$5))	DERWENT; IBM TDB	
-	6	((ethernet near10 (network\$4)) and @ad<20000716) and ((address adj byte)near2	USPAT; US-PGPUB;	2003/12/30 14:08
		counter)	EPO; JPO;	
			DERWENT; IBM TDB	
-	6	((ethernet near10 (network\$4)) and @ad<20000716) and ((address adj byte\$1)near2	USPAT; US-PGPUB;	2003/12/30 13:31
		counter)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	2715	(ethernet adj (network\$4)) and @ad<20000716	USPAT;	2003/12/30 14:07
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	3523	(ethernet adj (network\$4)) and @ad<20010716	USPĀT;	2003/12/30 14:09
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0	((ethernet adj (network\$4)) and	USPĀT;	2003/12/30 14:08
		<pre>@ad<20010716) and ((address adj byte)near2 counter)</pre>	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	62	((address adj byte)near2 counter)	USPAT;	2003/12/30 15:07
			US-PGPUB; EPO; JPO;	
			DERWENT;	
-	58	(((address adj byte)near2 counter)) and	<pre>IBM_TDB USPAT;</pre>	2003/12/30 14:50
		@ad<20010716	US-PGPUB; EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	801	709/233,234,235.ccls. and @ad<20010716	USPAT; US-PGPUB; EPO; JPO;	2003/12/31 07:55
	10	(500/000 004 005 501 004 004 0040516) 504	DERWENT; IBM_TDB	2022/12/21 22 12
_	19	(709/233,234,235.ccls. and @ad<20010716) and (((congest\$3 conten\$4 colli\$5)near2 (avoid\$5))and (delay same acknowledg\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/31 08:16
-	82	(709/233,234,235.ccls. and @ad<20010716) and ethernet adj (network\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:07
-	0	((709/233,234,235.ccls. and @ad<20010716) and ethernet adj (network\$4)) and((address	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/30 15:07
		adj byte)near2 counter)	EPO; JPO; DERWENT; IBM_TDB	
-	8	((709/233,234,235.ccls. and @ad<20010716) and ethernet adj (network\$4)) and ((MAC adj address) and counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 15:16
-	0	Byte adj as adj counter	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:16
-	21	Byte adj used near1 counter	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/31 09:33
-	14039	(ethernet near10 (network\$4)) and	DERWENT; IBM_TDB USPAT;	2003/12/30 15:33
			US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	1227	((ethernet near10 (network\$4)) and @ad<20010716) and ((global\$2 broadcast\$3)near3 (messag\$3 function))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 15:33
-	648	((ethernet near10 (network\$4)) and @ad<20010716) and ((broadcast\$3)adj(messag\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:36
-	0	(((ethernet near10 (network\$4)) and @ad<20010716) and	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/30 15:34
_	19	((broadcast\$3)adj(messag\$3))) and Byte adjused nearl counter ((ethernet nearl0 (network\$4)) and	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/30 15:37
		@ad<20010716) and (counter adj byte)	US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 13:37
-	14039	(ethernet near10 (network\$4)) and @ad<20010716	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:46
-	1	(Home adj Automation)and (ethernet adj Hub)and ((Collision Contention	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/30 16:46
		congestion) near2 (avoid\$5))	EPO; JPO; DERWENT; IBM_TDB	

-	15	(Home adj Automation) and (ethernet) and	USPAT;	2003/12/30 15:46
		((Collision Contention congestion)near2	US-PGPUB;	
		(avoid\$5))	EPO; JPO;	
			DERWENT;	
		//Itama add Butamatical and /athropathand	IBM_TDB	0000/10/00 15 00
-	8	((Home adj Automation) and (ethernet) and ((Collision Contention congestion) near2	USPAT;	2003/12/30 16:00
		(avoid\$5))) and @ad<20010716	US-PGPUB;	
		(avoid\$5))) and wad<20010716	EPO; JPO; DERWENT;	
			IBM TDB	
_	200	((ethernet adj (network\$4)) and	USPAT;	2003/12/30 16:00
		@ad<20010716) and	US-PGPUB;	2003/12/30 10:00
		((broadcast\$3)adj(messag\$3))	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	
-	1213	(ethernet adj (network\$4)) and hub	USPAT;	2003/12/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	873	((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:35
1		@ad<20010716	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	104	///othornot add (makes 141)	IBM_TDB	
-	104	(((ethernet adj (network\$4)) and hub) and ead<20010716) and	USPAT;	2003/12/30 16:00
l		@ad<20010716) and ((broadcast\$3)adj(messag\$3))	US-PGPUB;	
	1	(\DIOadcast\$3/ad](\lessag\$3/)	EPO; JPO;	
			DERWENT;	
l <u>-</u>	0	((((ethernet adj (network\$4)) and hub) and	<pre>IBM_TDB USPAT;</pre>	2003/12/30 16:34
		@ad<20010716) and	US-PGPUB;	2003/12/30 16:34
	İ	((broadcast\$3)adj(messag\$3))) and ((8bit	EPO; JPO;	
		eight-bit)adj(processor counter))	DERWENT;	
			IBM TDB	1
-	0	(((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:34
		@ad<20010716) and ((8bit	US-PGPUB;	, ,
		eight-bit)adj(processor counter))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:34
		@ad<20010716) and	US-PGPUB;	
		((broadcast\$3)adj(messag\$3))) and	EPO; JPO;	
		((8bit)adj(processor counter))	DERWENT;	
_	0	((((ethernet adj (network\$4)) and hub) and	IBM_TDB USPAT;	2002/12/20 16 25
		@ad<20010716) and	US-PGPUB:	2003/12/30 16:35
		((broadcast\$3)adj(messag\$3))) and	EPO; JPO;	
		((8-bit)adj(processor counter))	DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM TDB	
-	1547	8-bit)adj(processor counter	USPAT;	2003/12/30 16:51
			US-PGPUB;	
]		EPO; JPO;	
			DERWENT;	
_] ,,,,	10 141 - 241	IBM_TDB	
_	1415	(8-bit)adj(processor counter) and	USPAT;	2003/12/30 16:53
	[@ad<20010716	US-PGPUB;	
]		EPO; JPO;	
İ			DERWENT;	
_	1 1	((8-bit)adj(processor counter) and	IBM_TDB	2002/20/20 == ==
	*	@ad<20010716) and(ethernet adj (network\$4))	USPAT; US-PGPUB;	2003/12/30 16:36
		and hub	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	6	(Home adj Automation) and (ethernet adj Hub)	USPAT;	2003/12/30 16:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	1504	Home adj Automation	USPAT;	2003/12/30 16:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(Home adj Automation) and	USPAT;	2003/12/30 16:52
		((8-bit)adj(processor counter))	US-PGPUB;	
		· -	EPO; JPO;	
			DERWENT;	1
			IBM TDB	
<u>-</u>	137	(Home adj Automation) and (ethernet)	USPAT;	2003/12/30 16:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
_	1	((Home adj Automation) and (ethernet)) and	USPAT;	2003/12/30 16:53
	_	((8-bit)adj(processor counter))	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
		((0 520,003)(p20005501 000501,)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	((Home adj Automation)and (ethernet)) and	USPAT;	2003/12/30 16:53
-	1	((8-bit)adj(processor))	US-PGPUB;	2003/12/30 10:33
		(\(\text{0-bit/ad}\)\processor/\	EPO; JPO;	
			DERWENT;	
			1]
	1	(Home adj Automation) and	IBM_TDB USPAT;	2002/12/20 16:52
-	1			2003/12/30 16:53
		((8-bit)adj(processor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1250	(Home add Automation) and Gad 20010716	IBM_TDB	2002/12/20 16 54
-	1259	(Home adj Automation) and @ad<20010716	USPAT;	2003/12/30 16:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		////	IBM_TDB	0000/10/00 00
-	92	((Home adj Automation) and @ad<20010716) and	USPAT;	2003/12/30 16:54
		(ethernet)	US-PGPUB;	
			EPO; JPO;	j
			DERWENT;	
			IBM_TDB	
-	3	((Home adj Automation) and @ad<20010716) and	USPAT;	2003/12/30 16:54
		(ethernet adj hub)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1